Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)

MSDS #: 11010

DATE OF PREPARATION: 12/15/2008

LAST REVISION DATE: 12/15/2008



MSDS #: 11010

HMIS Ratings:

HEALTH: 0

FLAMMABILITY: 0 **REACTIVITY:** 0

PROTECTION:

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: BONA® HARDWOOD FLOOR REFRESHER (PROFESSIONAL SERIES)

PRODUCT DESCRIPTION: WATERBORNE URETHANE WOOD FLOOR MAINTENANCE PRODUCT

SECTION II - HAZARDOUS INGREDIENTS

Occupational

Exposure Limits

VAPOR PRESSURE-

INGREDIENT CAS # % WEIGHT ACGIH-TLV OSHA-PEL mm Hg

NONE

SECTION III - PHYSICAL DATA

BOILING RANGE: >212F (100C) **EVAPORATION RATE:** Slower than n-Butyl Acetate

WOLATILE - WT: 90 **DENSITY:** 8.39 LBS/GAL (1.01KG/L)

VAPOR DENSITY: Heavier than air SOLUBILITY IN WATER: Miscible

PRODUCT CHARACTERISTICS: White, milky liquid with sweet acrylic odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION: Non-Flammable

FLASH POINT: None

% OF VOL. OF FLAMMABLE LIMITS (Upper): N/A (Lower): N/A

EXTINGUISHING MEDIA: Water Spray, Foam, Carbon Dioxide, Dry Chemical

UNUSUAL FIRE

EXPLOSION HAZARDS:

Closed containers may explode (due to the build-up of steam pressure) when exposed to extreme heat.

SPECIAL FIREFIGHTING

Water may be used to cool closed containers to prevent pressure build-up.

PROCEDURES:

Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)



MSDS #: 11010

SECTION V - HEALTH HAZARD DATA AND FIRST AID PROCEDURES

EYE CONTACT: No adverse effects expected under typical use conditions. **SKIN CONTACT:** No adverse effects expected under typical use conditions.

INHALATION: No adverse effects expected under typical use conditions.

INGESTION: May cause gastrointestinal irritation. If swallowed, drink 1 or 2 glasses of water to dilute.

PRIMARY ROUTES OF ENTRY: Ingestion and Dermal

REGULATORY Section 313 supplier notification: This product contains the following chemical(s) subject to the DATA:

The product contains the following chemical(s) subject to the party of Section 313 of Title III of the Superfund Amendment and Reputherized.

reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40CFR 372: None. This product contains the following chemical(s) which are known to the state of California to cause cancer or to cause birth defects or other reproductive harm:

None.

TOXICITY INFO: No ingredients in this product are listed by OSHA, IARC or NTP as a carcinogen, teratogen,

mutagen, or as having toxic reproductive effects. See Section II for exposure limits. Not an eye irritant or dermal irritant; non-toxic by oral ingestion and inhalation under FHSA/CPSC guidelines.

SECTION VI - REACTIVITY DATA

STABILITY: Stable REACTIVITY WITH WATER: Will Not Occur

HAZARDOUS DECOMPOSITION None

PRODUCTS:

HAZARDOUS POLYMERIZATION: Will Not Occur

INCOMPATIBILITY None Known

(MATERIALS TO AVOID):

SECTION VII - SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS No special procedures required.

RELEASED OR SPILLED:

WASTE DISPOSAL:

Contaminated absorbent should be disposed of in accordance with local, state and federal

regulations.

SHIPPING INFORMATION: Not regulated as a DOT hazardous material

SECTION VIII - SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION: Not required under normal use conditions.

VENTILATION: Use adequate mechanical (general and/or local) ventilation to maintain exposure below TLV.

PROTECTIVE GLOVES: Not necessary under normal use conditions.

EYE PROTECTION: Not necessary under normal use conditions.

OTHER PROTECTIVE

EQUIPMENT:

Not necessary.

Material Safety Data Sheet

24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)



MSDS #: 11010

HYGIENIC PRACTICES:

Wash hands with soap and water before eating or using rest rooms.

SECTION IX - MISCELLANEOUS

Do not transfer contents to bottles or other unlabeled containers. Do not store in high temperature (above 100F or 38C) environment. Keep from freezing.

KEEP OUT OF THE REACH OF CHILDREN

KEY CODE

HMIS = Hazardous Materials Information System

- 0 = Minimal Hazard
- 1 = Slight Hazard
- 2 = Moderate Hazard
- 3 = Serious Hazard
- 4 = Severe Hazard

N/A = Not Applicable

N/E = Not Established

ACGIH = American Conference of Governmental Industrial Hygienists

OEL= Occupational Exposure Limits

PEL = Permissible Exposure Limit = exposure limit to an airborne contaminant in a workday set by OSHA

TLV = Threshold Limit Value = Time-weighted average concentration for a normal 8-hour workday without adverse effect.

IARC = International Agency for Research on Cancer

NTP = National Toxicology Program

OSHA = Occupational Safety and Health Administration

For additional health and safety information, call the BonaKemi Compliance Department at (303) 371-1411.

The identities of ingredients are withheld as proprietary information. The information on this data sheet represents our best opinion as to the proper use and handling of this product under normal conditions, based upon information compiled from sources considered to be dependable. It is accurate and reliable to the best of our knowledge and belief, but is not guaranteed to be so. It is the user's responsibility to determine the suitability of this product for a specific purpose and to adopt such safety precautions as may be necessary. Any use of the product which is not in conformance with this data sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.

BEFORE USING ANY PRODUCT, READ THE LABEL.