

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06/11/2015	F000001548	Date of first issue: 06/11/2015

SECTION 1. IDENTIFICATION

Product name : XL MATTE FLOOR FINISH

Product code : F000001548

Manufacturer or supplier's details

Company name of supplier : XL North

Address : 63 Water Street
Fall River MA 02722

Telephone : (508) 675-0528

Telefax : (508) 673-2222

Emergency telephone number : (CHEMTREC): (800) 424-9300 (CHEMTREC International):
(703) 527-3887 Industrial Health/Spill Emergency: (706) 277-
1300 Danny Welch (ehs@trcc.com)

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

GHS Label element

Signal word : Warning

Hazard statements : H227 Combustible liquid.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces. -
No smoking.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 5 %

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version 1.0	Revision Date: 06/11/2015	MSDS Number: F000001548	Date of last issue: - Date of first issue: 06/11/2015
----------------	------------------------------	----------------------------	--

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
(2-methoxymethylethoxy)propanol	34590-94-8	≥ 5 - < 10

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| If inhaled | : Move to fresh air in case of accidental inhalation of vapours.
Oxygen or artificial respiration if needed.
Call a physician or poison control centre immediately. |
| In case of skin contact | : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
If symptoms persist, call a physician. |
| In case of eye contact | : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Keep eye wide open while rinsing.
Seek medical advice. |
| If swallowed | : Do not induce vomiting without medical advice.
If conscious, drink plenty of water.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : None known. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Foam
Carbon dioxide (CO ₂)
ABC powder
Water mist |
| Specific hazards during fire-fighting | : Burning produces irritant fumes.
Exposure to decomposition products may be a hazard to health.
Cool closed containers exposed to fire with water spray.
Do not allow run-off from fire fighting to enter drains or water courses. |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06/11/2015	F000001548	Date of first issue: 06/11/2015

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Material can create slippery conditions.
Use non-slip safety shoes in areas where spills or leaks can occur.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not let product enter drains.
Do not allow contact with soil, surface or ground water.
Do not allow uncontrolled discharge of product into the environment.

Methods and materials for containment and cleaning up : Dam up.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Sweep up and shovel.
Pick up and transfer to properly labelled containers.
Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : The product is not flammable. No special protective measures against fire required.

Advice on safe handling : Wear personal protective equipment.
Handle with care.
Take care to avoid waste and spillage when weighing, loading and mixing the product.

Conditions for safe storage : No smoking.
Keep in properly labelled containers.
Observe label precautions.
Keep containers tightly closed in a dry, cool and well-ventilated place.

Materials to avoid : Do not freeze.
Keep away from food and drink.
Keep away from tobacco products.

Version 1.0 Revision Date: 06/11/2015 MSDS Number: F000001548 Date of last issue: -
Date of first issue: 06/11/2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		ST	150 ppm 900 mg/m ³	NIOSH REL
		TWA	100 ppm 600 mg/m ³	NIOSH REL
		TWA	100 ppm 600 mg/m ³	OSHA Z-1
		TWA	100 ppm 600 mg/m ³	OSHA P0
		STEL	150 ppm 900 mg/m ³	OSHA P0

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).
Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Use NIOSH approved respiratory protection.

Hand protection
Material : Impervious gloves

Eye protection : Safety glasses with side-shields
Tightly fitting safety goggles
Face-shield

Skin and body protection : Chemical resistant apron
Footwear protecting against chemicals
Skin should be washed after contact.
Change working clothes after each workshift.

Protective measures : Avoid contact with skin.
When using do not eat, drink or smoke.
Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
The type of protective equipment must be selected according

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version 1.0	Revision Date: 06/11/2015	MSDS Number: F000001548	Date of last issue: - Date of first issue: 06/11/2015
----------------	------------------------------	----------------------------	--

to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Do not smoke.
Keep away from food and drink.
Avoid contact with skin, eyes and clothing.
Change working clothes after each workshift.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: white, opaque
Odour	: ammoniacal
pH	: 8.0 - 9.0
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 145 °F Method: Seta closed cup
Evaporation rate	: 1.0
Vapour pressure	: No data available
Relative vapour density	: (Air = 1.0) Heavier Than Air
Density	: 1,010 kg/m3
Solubility(ies)	
Water solubility	: completely soluble
Solubility in other solvents	: Not applicable
Partition coefficient: n-octanol/water	: No data available
Explosive properties	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Possibility of hazardous reac-	: Stable under recommended storage conditions.

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version 1.0	Revision Date: 06/11/2015	MSDS Number: F000001548	Date of last issue: - Date of first issue: 06/11/2015
----------------	------------------------------	----------------------------	--

tions

Conditions to avoid : Protect from frost.

Incompatible materials : Oxidizing agents
Strong acids and strong bases

Hazardous decomposition products : Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Skin corrosion/irritation

Product:

Remarks: This information is not available.

Serious eye damage/eye irritation

Product:

Remarks: This information is not available.

Respiratory or skin sensitisation

Product:

Remarks: This information is not available.

Carcinogenicity

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06/11/2015	F000001548	Date of first issue: 06/11/2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish :
Remarks: No data available

Toxicity to daphnia and other :
aquatic invertebrates Remarks: No data available

Toxicity to algae :
Remarks: No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Can be landfilled or incinerated, when in compliance with local regulations.

Contaminated packaging : Clean container with water.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version 1.0 Revision Date: 06/11/2015 MSDS Number: F000001548 Date of last issue: -
Date of first issue: 06/11/2015

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

49 CFR

Not regulated as a dangerous good


SECTION 15. REGULATORY INFORMATION

- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 06/11/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and

SAFETY DATA SHEET

XL MATTE FLOOR FINISH



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	06/11/2015	F000001548	Date of first issue: 06/11/2015

is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN