

SideBreak



The foundation of the ASP gallery of Baton Scabbards. The Rotating SideBreak® swivels to 12 distinct positions or may be locked upright on the duty belt. A retracted or expanded baton may be rapidly presented, yet is securely retained during dynamic confrontations. Expanded batons may be presented out the side of the carrier. Available in Black, Ballistic, Basketweave and ASPtec® finishes.



Snap-On Belt Loop



Designed for military or special operations, this rotating polymer belt loop will clip onto all MOLLE equipped vests, military or duty belts. The cases swivel to 12 distinct positions or may be locked in place. A retracted or expanded baton may be rapidly presented, yet is securely retained during dynamic confrontations. Expanded batons may be retained in the carriers.

Duty

This "soft" design baton scabbard is ideal for military, investigative or security personnel. The carrier snaps onto the belt. It securely retains a retracted or expanded ASP Baton.



Federal

A compact, reduced form carrier for the Tactical Baton®. The Federal® Scabbard is designed for those officers who prefer a closed front ASP case. The carrier adjusts to a variety of belt widths. It rotates to 12 distinct positions and will retain a retracted or extended ASP Baton.







Federal Paddle

Designed for the investigator or plainclothes officer. This Paddle Scabbard rapidly clips onto and off of the belt. It may be worn straight or angled on the Strong or Reaction Side. The Paddle distributes the weight of the baton over the hip. The carrier will retain a retracted or expanded ASP Baton.

SideBreak Scabbards allow rapid presentation of an expanded baton.



Federal Scabbards are compact. They securely retain the ASP Baton.



The soft side Duty Scabbard is easily attached and rigidly secure.



FEATURES

Black Ballistic Basketweave ASPtec®



Belt clips are sized for duty belts. They incorporate an adjustable belt slide.



The Paddle allows a Federal or SideBreak Scabbard to be worn in a variety of investigative configurations.



The retaining bar of ASP polymer scabbards can be adjusted for ease of presentation or strength of retention.



The hex tool in polymer baton scabbards is removed with the double lock pin of a handcuff key. It is used for both adjustment and disassembly.



Baton scabbards are available in Series 16, 21 and 26 lengths.



The SideBreak Scabbard retains the baton tip with four plates which flex open to allow carry of an expanded baton.



Federal Scabbards retain the baton tip with a single plate which can be bypassed by angled insertion of the baton.



SideBreak Scabbards are fitted with spare retention screws.



The polymer SideBreak Scabbard will flex open to present an expanded baton.



The Duty Scabbard is soft, yet secure.



The elastic technologies of the Duty Scabbard will retain 16, 21 or 26 batons.



SideBreak and Federal Scabbards rotate to 12 distinct positions.



Paddle Scabbards adjust to 5 distinct positions.



Duty Scabbards retain Triad lights in a lens up or lens down position.



Classic Carriers with a Hidden Advantage



Each Tactical Baton Scabbard in the ASP gallery of designs is fabricated for a specific purpose. Each employs advanced computer aided design and fabrication concepts.

ASP Scabbards are a benchmade blend of retention, safety and speed. Each baton case is fashioned with the same painstaking attention to detail as the finest pistol holster.

ASP designs utilize strategically positioned lines of tension and zero tension areas. Each carrier incorporates ISO certified construction in designs so unique that they are patented. The result is a series of compact, inconspicuous and extremely effective carriers for the ASP Baton.

21

26





	10	21	20
SideBreak, Rotating			
Black	52232	52432	52632
Basketweave	52233	52433	52633
Ballistic	52235	52435	52635
ASPtec	52234	52434	52634
SideBreak Paddle			
Black	52236	52436	52636
Federal, Rotating			
Black	52238	52438	52638
Federal Paddle			
Black	52239	52439	52639
Duty			
Black	32232	32432	32632
Ballistic	32235	32435	32635

16

