

## Heating Cable Accessories

### Adhesive Tape

Helps to isolate the cable from the insulation and provides intimate contact with surface to be heated.



Part Number	Description
PSAT36A	Fiberglass Adhesive Tape: Size: 0.5" x 108' (13mm x 38m) Temp Limit: 350°F (176°C)
AAT260	Aluminum Adhesive Tape: Size: 2" x 180' (51mm x 55m) Temp Limit: 350°F (176°C)
AAT2180	Aluminum Adhesive Tape: Size: 2" x 180' (51mm x 55m) Temp Limit: 550°F (288°C)

### Junction Box

Metallic Junction Box with watertight cover. Suitable for use in ordinary and wet locations. NEMA 3R rated with gasket and cover.



- File No. 195978
- File No. C22.2 No. 18

Part Number	Description
JBM050	Metallic Box 3 hub 1/2" NPT Dimensions: 2" x 4-1/2" x 2-3/4" (51mm x 114mm x 70mm)
JBM075	Metallic Box 3 hub 3/4" NPT Dimensions: 2" x 4-1/2" x 2-3/4" (51mm x 114mm x 70mm)
JBM100	Metallic Box 3 hub 1" NPT Dimensions: 2-5/8" x 4-1/2" x 2-3/4" (67mm x 114mm x 70mm)

Hazardous-Area Rated Junction Box available upon request.

### Heat Conductive Putty

Used to fill voids between cable and pipe surface.



Part Number	Description
HCP1	Size: 1 lb. (0.5kg)
HCP3	Size: 3 lb. (1.4kg)

### Electrical Tracing Caution Label

Recommended for every 10ft (3m) of heat trace.



Part Number	Description
BCLCAB	Caution label (English)
BCLCAB-DE	Caution label (Deutsch)
BCLCAB-ES	Caution label (Español)
BCLCAB-FR	Caution label (Frances)
BCLCAB-IT	Caution label (Italiano)



### Pipe Standoff

Aluminum standoff for mounting junction boxes to pipe.

Part Number	Description
PSOCAB075	3/4" NPT thread
PSOCAB010	1" NPT thread



### Pipe Strap

Stainless steel pipe straps used to secure pipe standoff to pipe.

Part Number	Description
BPSCAB2-6	Adjustable from: 2" to 6" (51mm to 152mm)



### RTV Sealant

Silicone sealant used to seal lead pouches, end pouches, and pipe standoffs.


Part Number	Description
RTV3.0	3 oz. (89ml)



### Monitor Light Kit for BriskHeat® Constant Wattage Heating Cable

Provides an end of circuit continuity indication for all types of constant wattage heating cable. For use in ordinary locations.

Part Number	Description
MLK1001	Single hub; 120VAC
MLK2001	Single hub; 240VAC
MLK1002	Double hub; 120VAC
MLK2002	Double hub; 240VAC
MLBCAB001	120VAC replacement bulb
40180	240VAC replacement bulb



### INSUL-LOCK® DS Insulation

Flexible thermal insulation for pipes and tubing. Adhesive flap closure.

Part Number	Recommended Pipe/Tube O.D.	Insulation I.D.
INSUL78	1/2" - 5/8"	7/8"
INSUL118	3/4" - 7/8"	1-1/8"
INSUL138	1"	1-3/8"
INSUL158	1-1/8"	1-5/8"
INSUL2	1-3/8"	2"
INSUL218	1-5/8"	2-1/8"
INSUL238	2"	2-3/8"
INSUL258	2-1/8"	2-5/8"
INSUL278	2-3/8"	2-7/8"
INSUL318	2-5/8"	3-1/8"
INSUL312	2-7/8"	3-1/2"
INSUL358	3-1/8"	3-5/8"
INSUL418	3-1/2"	4-1/8"
INSUL412	4"	4-1/2"