












Modern Office  
 6900 Shady Oak Road, Ste 120  
 Eden Prairie, MN 55344  
 Phone: 800.443.5117  
 (In MN): 952-941-2837  
 Fax: 952.949.9816  
 www.modernofficefurniture.com

- Y9495 10' Cherry Veneer Oval Racetrack Table
- Y9496 10' Mahogany Veneer Oval Racetrack Table
- Y9413 12' Cherry Veneer Oval Racetrack Table
- Y9414 12' Mahogany Veneer Oval Racetrack Table



Assembly Instructions



## PARTS LIST


Part	Part
 Wood Dowel	 Leveler
 Cam Lock	 Flat Bracket
 Cam Pin	 Screw
 Shallow Cover	
 Deep Cover	

**Tools Needed:**

**\* Phillips Screwdriver or drill**

# PARTS LIST

Part	Qty.
	2
Top	
	2
Leg	


Part	Qty.
	2
Modesty Panel	

## Tips:


- \* Assemble furniture on a carpeted area, or on cardboard, close to the area where the furniture will be in use.
- \* Never drag the assembled table across the floor. Pick up and lift.
- \* 2 people needed for assembly, and a 3rd person needed to help turn over table in last step

2


**Step 1:**  
Carefully lay table tops finished side down on carpet or cardboard. Attached the flat brackets like shown using the wood screws. Insert wood dowels and pins.



**Step 2:**  
Assemble bases, modesty panels as shown, upside down. Insert Cambs and pins as shown. Connect the panels and tighten the cams using your screwdriver.




**Step 3:**  
Screw the gliders into the Inserts on each base



NOTE: The arrow on the face of the Cam (B) should point towards the Cam Post (C) for proper alignment.

3


**Step 4:**  
Using two people on each end of the table base assembly, carefully center it over the table top, lining up the pins and dowels with the holes in the bases and modesty panels.



**Step 5:**  
Once base assembly has been set on top of the table top, secure the cams with your screwdriver

**4**

**Step 6:**  
Using 3 people, carefully turn over table to right side position. Use one person on each end of the table, to make sure the table bases are being supported by hand while being turned upright. Use the 3rd person at the center of the table top to lift the table upright. Then, cover all the silver cams with the cam covers. Use the deep covers for the table bases, shallow covers for all other cams.



(Gliders may need to be adjusted on uneven floors)

**5**