

Mould chart

Veratone





Cross linked acrylic teeth



Multi chromatic layers

anterior Veratone



A	B	C
9.1	7.8	41.3
8.0	5.1	33.1
13		



A	B	C
9.6	8.0	41.7
8.2	5.2	33.0
25		



A	B	C
9.7	8.0	43.1
8.6	5.5	35.5
35		



A	B	C
9.9	7.9	42.9
8.4	5.4	35.3
36		



A	B	C
9.7	8.2	43.9
8.6	5.5	35.5
56		



A	B	C
10.8	8.4	45.4
9.3	5.1	34.4
57		



A	B	C
10.0	8.0	42.9
8.6	5.4	35.4
66		



A	B	C
10.2	8.1	44.8
9.3	5.7	35.9
76		





A	B	C
10.3	8.5	45.3
9.7	5.6	38.0
77		



A	B	C
10.0	8.3	45.5
9.0	5.7	36.1
78		





Cross linked acrylic teeth



Multi chromatic layers

A	B	C	
9.5	8.5	46.3	
8.6	5.6	35.9	
		85	
10.5	8.6	46.1	
8.6	5.6	36.2	
		88	

A	B	C	
11.3	8.9	47.5	
11.7	5.6	37.4	
		98	
12.5	9.7	51.4	
10.6	6.1	41.4	
		99	

posteriors **Veratone**

A	B	C	D	
29.5	31.3	8.1	7.1	
			11	

A	B	C	D	
29.2	31.0	8.8	8.3	
			41	

A	B	C	D	
30.2	32.0	9.0	7.7	
			12	

A	B	C	D	
32.0	34.0	9.1	8.6	
			44	

A	B	C	D	
30.4	33.4	8.5	7.35	
			13	


A	B	C	D	
34.5	35.9	9.4	8.4	
			45	

Cross linked acrylic teeth




Mould13

- A 9.1 — Length of central without collar (mm)
- B 7.8 — Width of central
- C 41.3 — Width of 6 anteriors on flat plane (mm)




Mould13

- A 8.0 — Length of central without collar (mm)
- B 5.1 — Width of central
- C 33.1 — Width of 6 anteriors on flat plane (mm)




Mould11

- A 29.5 — The average width of a 1x4 set of upper posteriors
- C 8.1 — The average depth of the upper left first molar



Mould11

- B 31.3 — The average width of a 1x4 set of lower posteriors
- D 7.1 — The average depth of the lower left first molar



articulat

anteriors	posteriors	
13	41	12
25	41	11
35	41	44
36	41	11
56	12	
57	44	13
66	12	
76	41	11
77	44	13
78	41	
85	44	13
88	44	13
98	45	
99	45	

shades

A1	B1	C2	D3
A2	B2		
A3	B3		
A4			



THE INTERNATIONAL CERTIFICATION NETWORK
CERTIFICATE
 IQNet and
 ICONTEC

For the following field of activities
 Manufacturing and Marketing of
 odontological devices, for the
 product lines of:
 Acrylic Resin Teeth Denture Base
 Polymers.

ISO 9001: 2000

Registration Number: CO-358-1

ISO
3336

