

Millennium-Filters.com QUALITY OEM REPLACEMENT FILTERS



Compressed Air / Gas Filters
Replacement Elements / Cartridges
Fuel / Oil Filters
High Pressure Stainless Steel
CNG - Natural Gas
Oil / Gas Industry
Hydraulic
Condensate Management

Quality Filtration Products

- Over 15,000 quality filter elements and cartridges engineered to exact OEM specifications
- Coalescers: Fit most major compressed air, coalescing dryer prefilter and afterfilter, instrumentation and mist eliminator filter housings
- Air-intake Filters: Eliminate containments using cellulose resin-impregnated and synthetic polyester media
- Air/Oil Separators: Conventional or high efficiency pleated models with airflow capacities up to 3000 CFM
- Oil Filters: Resin impregnated cellulose or high performance micro glass oil filters meet or exceed OEM requirements



- Abac
- Ace AFE
- Air Maze
- Airtak
- Airtek
- aulA
- Arrow Atlas Copco
- Baldwin
- Balston
- Bauer
- Beko **Binks**
- **Briggs & Stratton**
- **Busch Vacuum**

- Caterpillar
- Ceccato
- Champion
- Chicago Pneumatic
- Comp Air
- CSM
- Cummins
- AMF/Cuno
- Curtis
- Deltech
- Dollinger
- Domnick-Hunter Donaldson
- Eaton
- Fiac
- Filtersoft

- Finite
- Fleetguard
- Fluitek
- Fram
- Gardner-Denver
- General Pneumatics
- Great Lakes Air
- Hankinson Headline
- Henderson / Sahara
- Hiross
- Hitachi
- Honda
- Hydac Hydrovane
- Ingersoll-Rand

- Iohn Deere
- Johnson Controls lov
- Kaeser
- Keltec Kohler
- Luber-Finer
- Mann-Hummel
- Microfiltration
- Millennium
- Motivair Norgren
- **Numatics**
- Pall / PPC / Trinity
- Parker
- Pioneer

- Pneumatech
- **Pneumatic Products**
- Pureaire
- Purolator
- Quincy
- Racor
- Rotorcomp Saylor-Beall
- Schrader Bellows
- Schulz Compressor
- SMC
- Solberg
- Spectrix-MTA Speedaire
- Sullair
- Sullivan / Palatek

- Technolah
- Ultra Air
- Ultrachem
- Ultrafilter
- United Air Filter
- Universal Silencer
- Van Air Systems
- Walker
- Watts Fluidair
- Wilkerson
- Wix Filtration
- Worthington Xebec
- Zander
- Zeks
- Zurn



Compressed Air & Gas Filters

Compressed Air & Gas Filters

- Uni-case glass microfibers enhance depth-loading characteristics
- Flows from 10 to 1600 SCFM (17 to 2822 m³/hr)
- 1/4" to 3" NPT, BSPF and BSPT Ports
- Optional Indicators, gauges and drains
- Temperatures to 450°F (232°C)

Applications

- Air Dryer Prefilter
- **Paint Spray Booths**
- **Compressed Air System Protection**
- Adsorbers for odor removal
- Food Packaging Equipment
- **High Purity Laboratory Gases**
- Hydrocarbon Vapor Removal



Air Filters

Breathing Air Dual-Stage Compressed Air Filters

- Point-of-use breathing air filters
- Coalescer / Adsorber combination unit contains a fine grade coalescer and an activated carbon vapor removal element
- Used as prefilter for critical applications such as zero air generators, membrane filters and food/beverage applications
- Flows 75 SCFM (128 m³/hr)
- Pressures to 500 PSIG (34 bar)

Applications

- Industrial Breathing Air
- Aircraft Cabin Air
- Zero Air Generator Prefilter
- Instrument Air
- Food Processing / Packaging
- Membrane Prefiltration
- Instrument Air Dryer Prefilter



Millennium Filters.com QUALITY OEM REPLACEMENT FILTERS



Compressed Air / Gas Filters
Replacement Elements / Cartridges Fuel / Oil Filters High Pressure Stainless Steel CNG - Natural Gas Oil / Gas Industry Hydraulic Condensate Management



Instrumentation and Gas Sampling Filters

Instrumentation and Gas Sampling Filters

- Coalescing, particulate and adsorption elements
- Disposable in-line filters
- Connections to 1" NPT
- Flows from 1 SCFM to 170 SCFM
- Pressures to 5000 PSIG



for CNG and alternative fuels

High Pressure Filters

- CNG and alternative fuel filters
- Pressures to 6000 PSIG
- Ductile iron, stainless steel and aluminum housings

Applications

- ✓ Electronics
- ✓ Semi-Conductor
- ✓ Medical / Dental Compressors
- ✓ Pharmaceuticals
- ✓ Plastics
- ✓ Engineering
- ✓ Environmental
- ✓ CEMS Emissions Testing
- ✓ Automotive / Diesel Testing
- ✓ CNG On-board Vehicles
- ✓Oil & Gas Industry
- ✓ Power Generation
- √ Hydraulic Fracturing
- ✓ Consumer Products
- √ Food / Beverage Processing



Smartguard Electronic Auto Condensate Drain

Zero Air Loss Condensate Drains

- Zero Air Loss Condensate Drains designed to remove condensate from compressed air filters.
- Utilizes internal magnetic forces as power source to operate.
- Operating is automatic and there is zero air loss during the condensate discharge cycle.



Mag-11 Condensate Auto Drain



Membrane Air Dryers

Membrane Dryers

- Compressed air hollow fiber membrane dryers
- Dewpoints as low as -40F
- Connections from ¼" to ½" NPT
- Flows up to 40 SCFM





Millennium Filters.com QUALITY OEM REPLACEMENT FILTERS



Compressed Air / Gas Filters
Replacement Elements / Cartridges Fuel / Oil Filters High Pressure Stainless Steel CNG - Natural Gas Oil / Gas Industry
Hydraulic Condensate Management Hands Alexander Condensate Management

Meltblown Cartridges

- 100% Polypropylene or Nylon elements
- Elements from 1 to 100 micron in standard, high-efficiency, absolute and heavy duty grades.
- True depth filtration as a result of integrated 3-stage process
- FDA compliant for food and beverage contact under CFR Title 21
- Thermally welded end caps require no glue or other binders
- Standard and custom sizes for all applications



Meltblown Cartridges



Filter Bags and Cartridges

Filter Bags and Cartridges

- Dust collector bags and cartridges in cotton, wool and synthetics Orlon, Dacron, Polypropylene and Teflon felts.
- Custom Bags and Fabrication for grinders, pellet handling, sand blasting and plating.
- Liquid Filter Bags of micron rated felts and mesh fabrics

Transition Socks and Sleeves -

- Provide strong and flexible connector transition sleeve for vibratory screening equipment.
- 3-ply FDA approved materials.
- Nylon fabric outside for strength with rubber center layer.
- Flexible knit for increased durability.



Transition Sleeves



Filter Paper Media

Filter Paper

- Vast selection of regular and wet strength grades of Ahlstrom filter paper. NSF approved.
- Lint-free and FDA grades of filter paper, non-wovens and standard grades for beverage, cooking oil, industrial oil, pharmaceuticals, winery applications.
- Custom die-cuts available.
- High wet-strength non-woven material for coolant filtration applications.
- Complete range of densities in cotton, rayon and synthetic fibers in various sizes.