

K•BroVet® *Chewable Tablets & Oral Solutions*

Seizures, which can occur in dogs for many reasons, can be a frightening ordeal for pet owners. When a dog is diagnosed with epilepsy, K•BroVet® can help.



Potassium bromide has long been recognized as an excellent anticonvulsive for the alleviation of canine seizure disorders. K•BroVet was developed to provide a reliable source of potassium bromide that can be dispensed in the clinic, a convenience for both the client and the veterinarian.

- FEATURES**
- The only potassium bromide formulated specifically for dogs
 - Contains the only FDA-approved supply of potassium bromide in the entire country
 - Not a hepatotoxin because Potassium Bromide is processed in the kidneys
 - Available in liver-flavored, scored tablets or butterscotch vanilla-flavored oral solution

- BENEFITS**
- Consistent, reliable, and trusted with a two-year shelf-life
 - Can be used in conjunction with any other therapy, including phenobarbital, or alone as the sole anticonvulsive
 - Ideal choice for dogs with liver damage that need long-term seizure management
 - Palatable for the patient and economical for the client
 - Once-a-day dosing with a 21-day half life



K•BroVet[®] Chewable Tablets & Oral Solutions

K•BROVET[®] 500 MG AND 250 MG CHEWABLE TABLETS

AVAILABLE SIZES:

500 mg and 250 mg – 60 ct.

GUARANTEED INGREDIENTS:

500 mg tablets:

Potassium Bromide 500 mg
Cyanocobalamin
Liver flavor

250 mg tablets:

Potassium Bromide 250 mg
Cyanocobalamin
Liver flavor

DIRECTIONS FOR USE:

For a loading dose to achieve a serum level of approximately 1 mg/mL,

give 120 mg/kg PO daily for 5 days and then reduce to 30 mg/kg PO once daily.

To achieve a serum level of approximately 1.5 mg/mL,

give 160 mg/kg PO for 5 days and then reduce to 40 mg/kg PO once daily thereafter.

Visit KBroVet.com to view an example dosing chart for further dosing assistance.

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian

For Veterinary Use Only

Not for Human Use

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Store in a tightly sealed container at room temperature (59-86°F).

K•BROVET[®] ORAL SOLUTIONS 10 FL. OZ. AND 2 FL. OZ.

AVAILABLE SIZES:

10 fl. oz. and 2 fl. oz.

GUARANTEED INGREDIENTS:

Potassium Bromide 250 mg/mL
Cyanocobalamin
Pyridoxine HCl
Butterscotch vanilla flavor

DIRECTIONS FOR USE:

For a loading dose to achieve a serum level of approximately 1 mg/mL,

give 120 mg/kg PO daily for 5 days and then reduce to 30 mg/kg PO once daily.

To achieve a serum level of approximately 1.5 mg/mL,

give 160 mg/kg PO for 5 days and then reduce to 40 mg/kg PO once daily thereafter.

Visit KBroVet.com to view an example dosing chart for further dosing assistance.

CAUTION:

Federal law restricts this drug to use by or on the order of a licensed veterinarian

For Veterinary Use Only

Not for Human Use

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Store in a tightly sealed container at room temperature (59-86°F).

PRN[®] Pharmacal, an employee-owned company, has been dedicated to developing specialized therapeutics that address the unmet, underserved and overlooked needs of the veterinary medicine community since 1978. Our commitment: quality solutions – as needed, when needed.







PRN[®] Pharmacal | 8809 Ely Road | Pensacola, FL 32514 | 800.874.9764 | prnpharmaceutical.com/kbrovet

Treatment and dosages should be based on the individual animal's response to therapy and to minimize side effects. This may include monitoring of blood bromide levels and clinical signs. Not for use in cats. Use caution with chloride-containing medications and foods. See package insert for full prescribing information for K•BroVet.

K•BroVet[®] and PRN[®] are registered trademarks of Pegasus Laboratories, Inc. 11/17 05208

PRN
PHARMACAL

Example Dosing Chart for K•BroVet® - Initial and Maintenance Doses

	Initial Dose (52 - 57 mg/lb.) (Target ≈ 55 mg/lb. for 5 days)			Maintenance Dose (12.5 - 16 mg/lb.) (Target ≈ 14 mg/lb. daily)		
Weight (lbs.)	 250 mg/mL Liquid	 250 mg Tablet	 500 mg Tablet	 250 mg/mL Liquid	 250 mg Tablet	 500 mg Tablet
4 - 9	0.9 - 2			0.2 - 0.5		
10 - 15	2.2 - 3.3			0.6 - 0.8		
16 - 20	3.5 - 4.4			0.9 - 1.1		
21 - 25	4.6 - 5.5			1.2 - 1.4		
26 - 30	5.6 - 6.5			1.5 - 1.7		
31 - 35			3 1/2		2	
36 - 40			4		2	
41 - 45			4 1/2		2 1/2	
46 - 50		1/2	5		2 1/2	
51 - 55		1/2	5 1/2		3	
56 - 60		1/2	6		3	
61 - 65		1/2	6 1/2		3 1/2	
66 - 70		1/2	7			2
71 - 75			8			2
76 - 80			8 1/2			2
81 - 85			9			2 1/2
86 - 90			9 1/2			2 1/2
91 - 95			10			2 1/2
96 - 100			10 1/2			2 1/2
101 - 105			11			3
106 - 110			11 1/2			3
111 - 115			12			3