

# INSTALLATION INSTRUCTIONS FOR



**MODEL VSBX-207LED** 

www.varsityscoreboards.com

# **Table of Contents**

MODEL VSBX-207LED	3
4' X 2' WALL-MOUNTED SCOREBOARD	3
THE SCOREBOARD SYSTEM SHOULD INCLUDE THE FOLLOWING PARTS:	3
PRODUCT SPECIFICATIONS	4
Overall Dimensions:	4
Weight:	4
Power Requirements:	4
MOUNTING THE SCOREBOARD TO A WALL	4
IMPORTANT!	6
Warranty Activation/Installation & Completion Sign Off Sheet	6

# MODEL VSBX-207LED 4' X 2' WALL-MOUNTED SCOREBOARD

NOTE TO INSTALLERS: PLEASE RETURN THIS MANUAL TO THE INDIVIDUAL IN CHARGE OF THE SCOREBOARD UPON COMPLETION OF INSTALLATION.

The scoreboard and all accompanying accessories have been carefully inspected and tested before leaving the factory. However, it is possible for damage to have occurred during shipping. Therefore, we ask that you inspect all shipping containers upon arrival for damage and ensure that you have all of the parts listed below. If you find that damage has occurred during shipping: **DO NOT refuse the shipment, follow the instructions for filing a freight damage claim found below, and notify the manufacturer immediately.** 

#### THE SCOREBOARD SYSTEM SHOULD INCLUDE THE FOLLOWING PARTS:

#### ITEMS IN LARGE PACKAGE

(1) 4' x 2' x 4" scoreboard

#### **ITEMS IN ACCESSORY BAG**

- (1) Operator's Keypad
- (1) DC wall transformer
- (1) CD ROM (including installation, operation, maintenance, warranty, and support information.)

#### **Optional parts:**

Wireless Remote Control System Leg Assembly 1-YEAR Additional Warranty

NOTE: INSTALLATION HARDWARE NOT SUPPLIED. CHECK LOCAL CODE FOR REQUIREMENTS. ANCHORS, BOLTS, CHAINS, CABLES AND RELATED HARDWARE MUST MEET MINIMUM WEIGHT REQUIREMENTS.

# INSTRUCTIONS FOR REPORTING SHIPPING DAMAGE

Shipping damage must be noted at the time of delivery. Consignee must note on the "Delivery Receipt" form DAMAGED. Please make notations of the type of damage to the freight and to the packaging. Ask the delivery driver to call the local terminal and report immediately. The shipper is not responsible for the shipments that are not signed for as damaged upon arrival. Please contact the manufacturer immediately to report. The shipper is responsible for filing the claim, unless shipped 3<sup>rd</sup> party.

If damage is discovered after delivery, call the delivery company to report the concealed damage and please call the manufacturer immediately to report. Concealed damage must be reported within 5 days after the delivery date. If the damages are found after this time, the manufacturer will not be responsible.

# PRODUCT SPECIFICATIONS

#### **Overall Dimensions:**

4' L x 2' W x 4" D, shipped in one (1) section

## Weight:

Hanging weight: 20 lbs.

Shipping weight: 30 lbs

### **Power Requirements:**


#### Scoreboard:

1. 1 - 120-volt, 20-amp, 60 Hz grounded AC circuit. Ideally, this will be a dedicated circuit.

Access must be provided to turn off the power to the scoreboard after each use. Failure to turn off the power to the scoreboard could affect the functionality of the scoreboard; such as from a power surge or lightning strike.

# MOUNTING THE SCOREBOARD TO A WALL

- 1. Remove the scoreboard from its packaging, making sure not to pry against or cut into the scoreboard. Inspect the unit for shipping damage according to the instructions on page 3.
- 2. Using the holes in the back of the scoreboard, mount the scoreboard to the wall with weight appropriate anchors and screws. (See figure below)



NOTE: Please refer to the OPERATORS MANUAL on the CD, or included with the system to operate the scoreboard.

# **IMPORTANT!**

# Warranty Activation/Installation & Completion Sign Off Sheet

NOTE: This sheet must be completely filled out and returned/faxed (270) 753-3773 to Scoreboard Service Company before your warranty can be activated.

our Serial Number
our Model Number
Date Purchased
Sales Agent
Person Authorizing Purchase (title)
Date Installation Completed
Company or Person Responsible For Installation (address/phone number)
This document confirms that the installation for the 4' x 2' Multisport Wall-Mount Scoreboard has been completed. All structural, wiring, and power requirements have been met. This unit has been ested in scoring and diagnostic modes, ensuring the functionally of the unit.
Scoring/timing equipment responsible party
nstaller

So that we may better serve you, please have this information available in the event you need to call technical support. Customer Service: 1-800-411-3136