GE Security

Overview

With new wireless products from GE Security, smaller really is better. Highlighted by sleek new designs, the wireless family provides the modern look and feel you demand, with the same robust GE wireless capability you've come to expect.

The wireless 2- and 4-Button DesignLine Keyfobs make GE Security systems easier to use than ever before. These small but powerful touchpads act like an electronic key. The 2-Button Keyfob can arm or disarm; while the 4-Button adds the same functions as the 2-Button, it can also activate the police or auxiliary panic alarm, and turn lights on or off from up to 500 feet away.

The 5-Button DesignLine Keyfob has all the same functions as our 4-Button, such as the capability to arm or disarm the system, activate the police or auxiliary panic alarm, and turn lights on or off from up to 500 feet away. However, the 5-Button adds a bright-white LED flashlight, for those times when the situation calls for a little extra light.

The DesignLine Keyfobs fit on a keychain, in a pocket, or in a purse, and are added to the system either as a sensor or as a wireless touchpad in a few simple steps.

Models TX-4012-01-2, TX-4014-01-2, TX-4015-01-2

DesignLine Keyfobs (2-, 4- and 5-Button)

Standard Features

- Compact size Fits easily on a keychain, in a purse, or a pocket
- Touchpad design Easy touch control acts as an electronic key
- Compatible with all GE Security 319.5 MHz control panels and receivers
- Range Functions at open-air distances of up to 500 ft.
- Battery operated Runs on lithium coin cell battery (Panasonic CR2025/CR2032); typical battery life 5 years
- 2-Button Arms and disarms systems wirelessly
- 4-Button Arms and disarms systems wirelessly, activates police or auxiliary panic alarm, turns lights on and off
- 5-Button with flashlight LED Arms and disarms systems wirelessly; activates police or auxiliary panic alarm, turns lights on and off; adds bright-white LED flashlight

DesignLine Keyfobs

Small but powerful wireless electronic keys









GE Security

North America T (561) 998-6100 T 888-GE-SECURITY 888-(437-3287) F 561 998 6224 E rs-bctinfo@ge.com

Asia T 852-2907-8108 F 852-2142-5063

Australia T 61-3-9259-4700 F 61-3-9259-4799

Canada T 800-267-6317 F 613-737-5517

Europe T 32-2-725-11-20 F 32-2-721-40-47

Latin America T 305-593-4301 F 305-593-4300

www.gesecurity.com

Specifications subject to change without notice.

© 2007 General Electric Company All Rights Reserved

Specifications

	2-, 4-Button	5-Button	
Battery	3 VDC, 165 mAh	3 VDC, 225 mAh	
Battery Type	Lithium Coin Cell	Lithium Coin Cell	
Battery Brand	Panasonic CR2025	Panasonic CR2032	
Battery Life	5 years (typical)	5 years (typical)	
Transmitter Frequency	319.508 MHz (crystal-controlled)	319.508 MHz (crystal-controlled)	
Transmitter Frequency Tolerance	+/- 8 kHz	+/- 8 kHz	
Transmitter Bandwidth	24 kHz	24 kHz	
Modulation Type	Amplitude Shift Key (ASK)	Amplitude Shift Key (ASK)	
Unique ID Codes	16 million	16 million	
Peak Field Strength	Typical 40,000 uV/m @ 3m	Typical 40,000 uV/m @ 3m	
Operating Temperature	32 degrees F (0 degrees C) to 120 degrees F (49 degrees C)	32 degrees F (0 degrees C) to 120 degrees F (49 degrees C)	
Enclosure	ABS PA-765	ABS PA-765	
Weight	0.50 oz (14g)	0.61 oz (17g)	
Dimensions (WxHxD)	1.25 in (3.18 cm) x 2.23 in (5.66 cm) x 0.42 in (1.07 cm)	1.26 in (3.20 cm) x 2.35 in (5.97 cm) x 0.52 in (1.35 cm)	
Colors	Black	Black	
FCC Standard	FCC Part 15	FCC Part 15	

Part Number	Description	Color
TX-4012-01-2	DesignLine Keyfob (2-Button)	Black
TX-4014-01-2	DesignLine Keyfob (4-Button)	Black
TX-4015-01-2	DesignLine Keyfob (5-Button w/LED flashlight)	Black

