



# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

## 1. Identification

### 1.1. Product Identifier

Product Name 70-03A BLACK

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants.  
Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

#### Responsible Party

Bostik Inc.  
11320 W. Watertown Plank Road  
Wauwatosa, Wisconsin 53226 USA  
Phone: +1 (800) 843-0844 (Domestic Toll Free)  
Phone: +1 (414) 774-2250 (International)  
Fax: +1 (414) 774-8075

E-mail msds@bostik.com

### 1.4. Emergency telephone number

Telephone: 1-800-227-0332  
(Outside U.S.) 1-703-527-3887

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

### 2.2. Label Elements

#### EMERGENCY OVERVIEW

**Danger**

#### Hazard statements

Causes serious eye irritation  
May cause an allergic skin reaction  
May damage fertility or the unborn child  
May cause damage to organs through prolonged or repeated exposure

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018



**Appearance** Paste

**Physical State** Solid

**Odor** No information available

## Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves  
Do not breathe dust/fume/gas/mist/vapors/spray

## Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

## Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/ container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

Not applicable

## Unknown acute toxicity

8 % of the mixture consists of ingredient(s) of unknown toxicity

## 2.3. Other Information

May be harmful in contact with skin. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	30 - 60
C.I. Pigment Black 26	68186-94-7	5 - 10
Silane, ethenyltrimethoxy-	2768-02-7	1 - 5
Stearic acid	57-11-4	1 - 5
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0.1 - 1
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0.1 - 1
Carbon black	1333-86-4	0.1 - 1

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

*\*The exact percentage (concentration) of composition has been withheld as a trade secret.*

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General advice</b>	If medical advice is needed, have product container or label at hand.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If symptoms persist, call a physician.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by skin contact. In the case of skin irritation or allergic reactions see a physician.
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Ingestion</b>	If swallowed, rinse mouth with water (only if the person is conscious). If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.
<b>Self-protection of the first aider</b>	First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** May cause allergic skin reaction. Irritating to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. May cause sensitization of susceptible persons. May cause sensitization by skin contact. Treat symptomatically.

### 4.4. Reference to Other Sections

**Reference to other sections** Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

#### Unsuitable extinguishing media

Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Halogenated hydrocarbons. Nitrogen oxides (NO<sub>x</sub>). Product is or contains a sensitizer. May cause sensitization by skin contact.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### Explosion Data

**Sensitivity to mechanical impact**

None.

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

---

Sensitivity to static discharge None.

## 5.3. Advice for firefighters

### Special protective actions for fire-fighters

Do not allow run-off from fire-fighting to enter drains or water courses. In case of fire: Wear self-contained breathing apparatus.

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

### 6.2. Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

**Methods for cleaning up** Use personal protective equipment as required. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

**Reference to other sections** Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION  
Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. After contact with skin, wash immediately with plenty of water and soap. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep away from food, drink and animal feeding stuffs. Keep/store only in original container. Protect from sunlight. Store in a well-ventilated place. Keep at temperatures between 41 and 95 °F. Protect from direct contact with water or excessive moisture.

**Incompatible materials** Water.

### 7.3. Specific end use(s)

#### Specific Use(s)

Adhesives and/or sealants. Sealant.

**Other information** No information available.

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

## 7.4. References to Other Sections

Reference to other sections      Section 13: DISPOSAL CONSIDERATIONS  
Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Guidelines

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Carbonic acid, calcium salt (1:1) 471-34-1	No data available	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust	-	-
C.I. Pigment Black 26 68186-94-7	TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	IDLH: 500 mg/m <sup>3</sup> Mn TWA: 1 mg/m <sup>3</sup> Mn STEL: 3 mg/m <sup>3</sup> Mn	Ceiling: 5 mg/m <sup>3</sup> Mn	TWA: 0.2 mg/m <sup>3</sup>
Stearic acid 57-11-4	TWA: 10 mg/m <sup>3</sup> inhalable particulate matter TWA: 3 mg/m <sup>3</sup> respirable particulate matter	-	-	-
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	STEL: 0.2 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> Sn S*	IDLH: 25 mg/m <sup>3</sup> Sn TWA: 0.1 mg/m <sup>3</sup> except Cyhexatin Sn	TWA: 0.1 mg/m <sup>3</sup> Sn	TWA: 0.1 mg/m <sup>3</sup> STEL: 0.2 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup> inhalable particulate matter	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH	TWA: 3.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>

Chemical name	Argentina	Brazil	Chile	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	-	TWA: 10 mg/m <sup>3</sup>
C.I. Pigment Black 26 68186-94-7	TWA: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 0.9 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
Tin, dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4	TWA: 0.1 mg/m <sup>3</sup> Skin STEL: 0.2 mg/m <sup>3</sup>	-	TWA: 0.09 mg/m <sup>3</sup> Skin	Skin STEL: 0.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>
Carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup>	-	-	TWA: 3.5 mg/m <sup>3</sup>

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> STEL: 250 ppm STEL: 325 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 250 ppm

Chemical name	Argentina	Brazil	Chile	Venezuela
Methyl alcohol 67-56-1	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 156 ppm TWA: 200 mg/m <sup>3</sup> Skin	TWA: 175 ppm TWA: 229 mg/m <sup>3</sup> Skin	Skin STEL: 250 ppm TWA: 200 ppm

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

## 8.2. Exposure controls

**OTHER INFORMATION** Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

### Personal protective equipment [PPE]

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General hygiene considerations** Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off contaminated clothing and wash before reuse. Regular cleaning of equipment, work area and clothing is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical state** Solid  
**Appearance** Paste  
**Color** Black  
**Odor** No information available  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	> 93.3 °C / > 200 °F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	No information available	
Water solubility	No information available	
Solubility in Other Solvents		
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

## 9.2. Other information

Softening Point	No information available
Molecular weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available
Density	1.416 g/cm <sup>3</sup>
VOC Content (%)	< 10 g/L

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Product cures with moisture.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing. Protect from moisture. Product cures with moisture.

### 10.5. Incompatible materials

Water.

### 10.6. Hazardous decomposition products

None known based on information supplied.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

<b>Product Information</b>	No data available
<b>Inhalation</b>	No data available.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	May cause sensitization by skin contact.
<b>Ingestion</b>	No data available.

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1) 471-34-1	LD50 > 2000 mg/kg (Rattus) OECD 420	LD50 >2000 mg/kg (Rattus) OECD 402	LC50 (4h) >3mg/ml (Rattus)
Silane, ethenyltrimethoxy- 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Stearic acid 57-11-4	>5000 mg/Kg (Oryctolagus cuniculus)	> 5 g/kg (Oryctolagus cuniculus)	-
N-(3-(trimethoxysilyl)propyl)ethylene diamine 1760-24-3	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Tin, dibutylbis(2,4-pentanedionato-O,O') , (OC-6-11)-	LD50 = 1864 mg/kg (Rattus) OECD 401	LD50 > 2000 mg/kg (Rattus) OECD 402	LC50 4hr: 16.8 mg/l (Rattus) (OECD TG 403)

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

22673-19-4			
Carbon black 1333-86-4	LD50 > 8000 mg/kg (Rattus) OECD 401	> 3 g/kg (Oryctolagus cuniculus)	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Symptoms</b>	No information available.
<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	Severe eye irritation.
<b>Irritation</b>	No information available.
<b>Corrosivity</b>	No information available.
<b>Sensitization</b>	May cause sensitization by skin contact.
<b>Germ cell mutagenicity</b>	No information available.
<b>Reproductive toxicity</b>	Product is or contains a chemical which is a known or suspected reproductive hazard.
<b>Developmental toxicity</b>	No information available.
<b>Teratogenicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Chronic Toxicity</b>	May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. Contains a known or suspected reproductive toxin.
<b>Target organ effects</b>	blood forming system, liver, Eyes, Gastrointestinal tract (GI), kidney, blood, Lungs, Skin, retina.
<b>Aspiration hazard</b>	Not applicable.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Carbon black 1333-86-4	A3	Group 2B	-	X

ACGIH (American Conference of Governmental Industrial Hygienists)  
A3 - *Confirmed animal carcinogen with unknown relevance to humans*  
IARC (International Agency for Research on Cancer)  
Group 2B - *Possibly Carcinogenic to Humans*  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
X - *Present*

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H >1000 mg/l		EC50 48H Daphnia >1000 mg/l
Silane, ethenyltrimethoxy- 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) = 191 mg/l (Oncorhynchus mykiss)		EC50(48hr) 168.7mg/l (Daphnia magna)
Stearic acid 57-11-4	EC50 >1016 mg/l 72Hr microbial growth inhibition	LC50 >1000 mg/l , 48 Hour		
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3		LC50 (96H) =597 mg/L (Danio rerio)Semi-static		EC50 (48h) =81mg/L Daphnia magna Static
Tin,	>2.0 mg/l	>2.0 mg/l		EC50 0.0036 mg/l 48Hr

# SAFETY DATA SHEET

**70-03A BLACK**  
**Revision Number 3**

**Revision date** 31-Oct-2019  
**Supersedes Date:** 06-Sep-2018

dibutylbis(2,4-pentanedionat o-O,O')-, (OC-6-11)- 22673-19-4				(Daphnia magna)
Carbon black 1333-86-4	>10000 mg/l (Desmodesmus subspicatus) OECD 202	>1000 mg/l (Brachydanio rerio) OCDE 203		EC50: >5600mg/L (24h, Daphnia magna)

**12.2. Persistence and degradability**

No information available.

**12.3. Bioaccumulative potential**

No information available.

**12.4. Mobility in soil**

No information available.

**Other adverse effects**

No information available

**Section 13: DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations

**Section 14: TRANSPORT INFORMATION**

**Note:** The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition)  
 The information shown here, may not always agree with the bill of lading shipping description for the material

**DOT**

**UN/ID No** UN3077  
**Proper Shipping Name** Environmentally hazardous substance, solid, n.o.s.  
**Hazard class** 9  
**Packing Group** III  
**Special Provisions** 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8  
**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate), 9, III, Marine Pollutant  
**Emergency Response Guide Number** 171

**IATA**

**UN number** UN3077  
**Proper Shipping Name** Environmentally hazardous substance, solid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate)  
**Transport hazard class(es)** 9  
**Packing group** III  
**ERG Code** 9L

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

**Special Provisions** A158, A179, A97, A197  
**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate), 9, III

## IMDG

**UN number** UN3077  
**UN proper shipping name** Environmentally hazardous substance, solid, n.o.s.  
**Transport hazard class(es)** 9  
**Packing group** III  
**EmS-No.** F-A, S-F  
**Special Provisions** 274, 335, 966, 967, 969  
**Description** UN3077, Environmentally hazardous substance, solid, n.o.s. (Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-, Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate), 9, III, Marine Pollutant

## Section 15: REGULATORY INFORMATION

### Global Inventories

TSCA	Listed
DSL	Listed

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

**Not Listed** - One or more components of this product are not listed on inventory.

### United States of America

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.
C.I. Pigment Black 26	68186-94-7

#### SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

### Europe

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

#### SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Chemical name	CAS No.
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol	25973-55-1

## Section 16: OTHER INFORMATION

# SAFETY DATA SHEET

70-03A BLACK  
Revision Number 3

Revision date 31-Oct-2019  
Supersedes Date: 06-Sep-2018

---

**Key or legend to abbreviations and acronyms used in the safety data sheet**

No information available

**Key Literature References and Sources for Data**

No information available

<b>Prepared By</b>	Product Safety & Regulatory Affairs
<b>Revision date</b>	31-Oct-2019
<b>Revision note</b>	SDS sections updated, 1, 3, 4, 5, 6, 7, 15.
<b>Training Advice</b>	When working with hazardous materials, regular training of operators is required by law
<b>Further information</b>	No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**